

**Department of
Primary Industries**Elizabeth Macarthur Agricultural Institute
Woodbridge Rd Menangle

Our Ref: M24-00244

Your Ref:

Prev. Ref:

Laboratory Enquires: 1800 675 623

Invoice Enquires: 1300 720 773

LABORATORY REPORT**To:** ORANGE VETERINARY HOSPITAL
57 MOLONG ROAD
ORANGE
2800 NSW AUSTRALIA
Attn: ANDREW DENMAN
Fax: 263623970**Owner:** MR ELLIOT BANGERT
Property: MIZPAH
1811 THE ESCORT WAY
BORENORE 2800
PIC NI404343**Job Type:** Sheep
Dorset (Poll & Horn)**Job Manager:** Ronald Coilparampil
Date Sampled: 05 Jan 2024
Date Sent: 08 Jan 2024
Date Received: 09 Jan 2024**Submitter Subject:** OVINE BRUCELLOSIS
Samples Received: 1 X BLOOD**History****Age:** 2 Year(s) **Sex:** Male **No. at Risk:** **No. Sick:** **No. Dead:****Conclusion**

Brucella ovis Negative

Comments

Brucella ovis seronegative

Ronald Coilparampil
Professional Officer Serology**NATA Accreditation Numbers**14173 Environmental Laboratory Wollongbar
14488 Orange Agricultural Institute14495 Elizabeth Macarthur Agricultural Institute
14949 Wagga Wagga Chemistry Services Laboratory

Accredited for compliance with ISO/IEC 17025 - Testing. Specimens tested as received

This document shall not be reproduced, except in full, without written approval of the laboratory.

Legend: Tests showing * are not accredited by NATA

A price increase will be applied to tests costs across NSW DPI Laboratories at Elizabeth Macarthur Agriculture Institute (EMAI), effective 1 February 2024. This increase is determined based on CPI increase and cost review.

EMAI Serology**Brucella ovis complement fixation test**

Lab No.	Sample ID.	Sample Desc	Titre
0001	180365	Clotted Blood	<8

Comment(s): Brucella ovis CFT is conducted on doubling serum dilutions. Positive titre range = 8 (low positive) to 128 (high positive). **<8** = Negative; **8 & 16** = Inconclusive in a flock with no history of brucellosis and has no rams with lesions consistent with the disease, Positive in a flock with a history of brucellosis and has rams with lesions consistent with the disease; **>16** = *Positive*. Please contact EMAI Veterinary Pathology Services on 02 4640 6325 or emai.vetpathology@dpi.nsw.gov.au for further advice on test interpretation.

CopiesACCREDITATION (email: accreditation.labresults@dpi.nsw.gov.au)LLS CT (email: vets.ct@lls.nsw.gov.au)SHEEP (email: sheep.labresults@dpi.nsw.gov.au)